

gova UG (haftungsbeschränkt)

Manfred van TRIEL * Peter van TRIEL

Specialist for Special + High Nickel Alloy's // Sales // Marketing

Stand:

Dezember 2024

Nr.:	Werkstoff	Abmessung (mm)	Länge (mm)	Menge (kg)
1	13CrMo4 4	Vierk. 70x70mm	4926	190,0
2	10CrMo9 10	Vierk. 140x140mm	260	40,0
3	A182 F1	Vierk. 140x140mm	720	111,0
4	13CrMo4 4	Vierk. 70x70mm	4926	190,0
5	13CrMo4 5	Vierk. 90x90mm	3064	195,0
6	13CrMo45	Wellen D 90 mm	315	16,0
7	13CrMo4 5	Vierk. 100x100mm	2285	179,0
8	13CrMo4 5	Vierk. 120x120mm	155	17,5
9	16Mo3	Vierk. 90x90mm	880	56,0
10	1.4462	Vierk. 80x80mm	2407	121,0
11	1.4462	Wellen D 80mm	1410	56,0
12	1.4462	Vierk. 140x140mm	190	29,2
13	1.4301/F304H	Vierk. 90x90mm	2205	171,0
14	A182 F304H	Wellen D 250 mm	2690	1043,0
15	A182 F53	Wellen D 150mm	2395	334,0
16	A182 F53	Wellen D 200mm	1645	408,0
17	A182 F53	Wellen D 215,9 mm	1350	50,0
18	A182 F317/317L	Vierk. 130x130mm	775	104,0
19	A182 F317/317L	Wellen D 200mm	4229	1063,0
20	A182 F347H	Vierk. 140x140m	1865	287,0
21	A182 F347H	Wellen D 180 mm	1668	335,0
22	A182 F347H	Wellen D 250 mm	2700	1047,0
23	A182 F904L	Vierk. 195x195	645	199,0
24	A182 F44	Wellen D 170mm	370	67,0